


Mining



“Oil Analysis is
essential solution
in Mining Machinery.”



Take a sample of the fluid, with the system operating in normal conditions.



Fill in the Tribolab[®] form corresponding to the Test it belongs to.



Send sample to Tribolab[®] to be analyzed.



Tribolab[®] records and analysis the sample, generating an e-report.



Tribolab[®] sends you an email report with the results. Customer evaluates recommendations.



Response time is 24 to 48 hr. Once the sample is registered in our laboratories.



In the mining industry, operating conditions, load variations, and the high costs involved in replacing equipment make oils, coolant, and fuel analysis completely necessary. Whether your mining activities involve the exploitation of minerals, metals, tar sands or coal, you expect equipment to perform reliably and efficiently to maximize production, protect the environment and ensure safe operation. Through routine tests, **TRIBOLAB[®]** will help you identify small problems before they turn into major failures that make it impossible to meet the demands of your customers on time. Our goal is to maximize asset reliability and regain control of your production schedules with an effective fluid analysis program.

In the Mining industry the equipment required is often exposed to extreme and uncontrollable environmental factors for long periods of time. Sampling frequency should be based on the unit's criticality to production, as well as the costs involved in replacement or repair.



www.tribo-labs.com

For more information you can contact us via email
info@tribo-labs.com

Diesel Engine

DIESEL FUEL ANALYSIS PACKAGES

TRIBO 5: Basic Diesel Fuel Analysis Test. Sample volume: 1 L

- Elemental Analysis by ICP (ASTM D5185)
- Water and Sediment (ASTM D2709)
- Bacteria, Fungi and Mold (Manufacturer)
- Soot % (ASTM E2412)
- ISO Particle Count (ISO4406.99)
- Pensky-Marten Flash Point (ASTM D3828)

TRIBO 6: Advanced Diesel Fuel Analysis Test.

Sample volume: 1 L

- Elemental Analysis by ICP (ASTM D5185)
- Pour Point (ASTM D7346)
- Water and Sediment (ASTM D2709)
- Bacteria, Fungi and Mold (Manufacturer)
- Thermal Stability (ASTM D6468)
- Viscosity (ASTM D445)
- PPM Sulfur (ASTM D7220)
- FBT (ASTM D2068)
- Flash Point (ASTM D3828)
- Cetane Index (ASTM D976)
- Cloud Point (ASTM D7689)
- Distillation (ASMT D7345)
- ISO Particle Count or Particle Quantifier (ISO4406.99)
- COPPER STRIP CORROSION (ASTM D130)

OIL ANALYSIS PACKAGE

TRIBO 4: Engine Oil Analysis Test. Sample volume: 100 ml

- 24 Metals by ICP (ASTM D5185)
- Viscosity @ 100°C (ASTM D445)
- Fuel Dilution % (ASTM D7593)
- % Soot (ASTM E2412)
- % Water by Crackle (Internal Method Tribolab)
- Base Number (ASTM DA4739)
- Oxidation / Nitration (ASTM E2412)

COOLANT ANALYSIS PACKAGES

TRIBO 8: Coolant Analysis Test. Sample Volume: 100 ml

- Visual (color, oil and/or fuel contamination, foam magnetic/non- magnetic precipitation and odor) (Internal Method Tribolab)
- pH (ASTM D1287)
- Glycol % (ETHYLENE OR PROPYLENE)
- Freeze Point (ASTM D3321)
- Boil Point (Internal Method Tribolab)
- Nitrite (Internal Method Tribolab)
- TDS (sólidos disueltos totales)
- Specific Conductance (Internal Method Tribolab)
- SCA # (Internal Method Tribolab)
- Total Hardness (Internal Method Tribolab)

Hydraulic Systems

TRIBO 1: Basic Industrial Oil Analysis Test. Sample Volume: 100 ml

- 24 Metals by ICP (ASTM D5185)
- % Water by Crackle (Internal Method Tribolab)
- Viscosity @ 40°C or 100°C (ASTM D445)
- Acid Number (ASTM D664)
- Oxidation / Nitration (ASTM E2412)
- ISO Particle Count (ISO4406.99)

TRIBO 2: Advanced Industrial Oil Analysis Test.

Sample Volume: 100 ml

- 24 Metals by ICP (ASTM D5185)
- % Water by Karl Fischer (ASTM D6304C)
- Viscosity @ 40°C or 100°C (ASTM D445)
- Acid Number (ASTM D664)
- Oxidation / Nitration (ASTM E2412)
- ISO Particle Count (ISO4406.99)

TRIBO 9: Filter Debris analysis (FDA). Sample: Filtering Element

- Elemental Metals (24) by ICP (ASTM D5185)
- Acid Digestion Elemental Ana (ASTM D5198)
- Gravimetric Solids (Internal Method Tribolab)
- Micropatch (Internal Method Tribolab)
- Analytical Ferrograph (ASTM D'7690)

Crushers

TRIBO 1: Basic Industrial Oil Analysis Test.

Sample Volume: 100 ml

- 24 Metals by ICP (ASTM D5185)
- % Water by Crackle (Internal Method Tribolab)
- Viscosity @ 40°C or 100°C (ASTM D445)
- Acid Number (ASTM D664)
- Oxidation / Nitration (ASTM E2412)
- ISO Particle Count (ISO4406.99)

TRIBO 2: Advanced Industrial Oil Analysis Test.

Sample Volume: 100 ml

- 24 Metals by ICP (ASTM D5185)
- % Water by Karl Fischer (ASTM D6304C)
- Viscosity @ 40°C or 100°C (ASTM D445)
- Acid Number (ASTM D664)
- Oxidation / Nitration (ASTM E2412)
- ISO Particle Count (ISO4406.99)

Gear Systems

TRIBO 1: Basic Industrial Oil Analysis Test.

Sample Volume: 100 ml

- 24 Metals by ICP (ASTM D5185)
- % Water by Crackle (Internal Method Tribolab)
- Viscosity @ 40°C or 100°C (ASTM D445)
- Acid Number (ASTM D664)
- Oxidation / Nitration (ASTM E2412)
- ISO Particle Count (ISO4406.99)

For more information you can contact us through the phones:

North America

Phone

+1- (786) 497.61.00 | (786) 537.49.71

Fax: +1 (786) 441.44.08

South America

Phone

+58 (414) 439.53.03 | (424) 473.04.59

(414) 342.51.61

Europe

Phone

+34- (658) 94.80.60 | (911) 84.59.96



www.tribo-labs.com